

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

0 206 565
A2

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 86304165.3

(51) Int. Cl.: G 06 F 15/21, G 06 F 15/40

(22) Date of filing: 02.06.86

(30) Priority: 17.06.85 GB 8515323

(71) Applicant: Coats Vyeella Plc, Bank House 9 Charlotte Street, Manchester M1 4ET (GB)

(43) Date of publication of application: 30.12.86
Bulletin 86/52(72) Inventor: Hugh, Donald Gordon, 7 Ennerdale Close
Clitheroe, Lancashire BB7 2PH (GB)
Inventor: Lindsay, Hewitt Jeffrey, Paloalto 6 College
Way, Northwood Middlesex (GB)(84) Designated Contracting States: AT BE CH DE FR GB IT LI
LU NL SE(74) Representative: McNeight, David Leslie et al, McNeight
& Lawrence Regent House Heaton Lane, Stockport
Cheshire SK4 1BS (GB)

(84) Retail trading systems.

(57) A system for retail trading comprises an image storing arrangement storing images of items being traded (e.g. carpets), an image index arrangement connected with the said storage arrangement and containing identifiers for the images therein, an image retrieval arrangement and display means (e.g. a video screen) for displaying retrieved images. A transaction data processing arrangement includes a data input arrangement by which the displayed image identifier is automatically input from the input arrangement. Composite images can be handled.

EP 0 206 565 A2

RETAIL TRADING SYSTEMS

This invention relates to retail trading systems.

5 The invention is particularly concerned with
systems for trading large items that need to be
delivered to rather than carried away by the customer,
and items that may be customized at least to some extent
or fitted. An example is carpets, which are large and
10 require fitting.

 If a carpet retail outlet is to carry a
comprehensive inventory of carpets, it must necessarily
be housed in premises of some size, which, in a prime
15 shopping area, would involve high rent and rates. It is
usual therefore to site such premises out of town.
Nevertheless, there are problems involved with the
display of many carpets, and customers can find it
daunting to select from extensive arrays of patterns,
20 textures and colourways.

 Moreover, the carrying of such a comprehensive
stock as will at least permit inspection "in the piece"
is itself an expensive business.

25 Accordingly, there is a tendency to sell carpet
by sample. The retail premises need carry no or hardly

any stock, and can be accommodated in more compact premises far less expensively, even on prime retail sites.

5 However, a disadvantage of this is that it is difficult for customers to appreciate, from a small sample, how a carpet will look in their room setting, and how it will relate to their furniture and other effects, for example. Sometimes photographs of a
10 "typical" room are included in a pattern swatch.

 Sale by sample involves, moreover, the preparation of a transaction record on the basis of a sample identifier - usually an alphanumeric code. The
15 identifier is often on an adhesive ticket, and mistakes can arise through loss of or damage to, misreading or wrongly transcribing the identifier.

 The present invention provides a system by which
20 these disadvantages can be avoided.

 The invention comprises a system for retail trading comprising an image storage arrangement storing images of items being traded, an image index arrangement
25 connected with the said storage arrangement and containing identifiers for the images therein, an image retrieval arrangement and display means for displaying

retrieved images, and a transaction data processing arrangement including a data input arrangement and by which the displayed image identifier is automatically input from the index arrangement.

5

Said image storage arrangement may comprise video disc means and said display means a video screen.

Said input arrangement may comprise an
10 alphanumeric keyboard.

Said input arrangement may comprise a special function key operable to put the input arrangement into a transaction specifying mode in which the identifier
15 for the currently displayed image is automatically input from the index arrangement into a transaction record.

Said input arrangement may comprise a special function key operable to put the input arrangement into
20 an image retrieval mode.

The image index arrangement may contain a categorised image index, and the said retrieval arrangement may then be operable to retrieve images on a
25 category basis, preferably, selectively, images falling into two or more categories. Such retrieved images may be automatically displayable sequentially.

The stored images may be composite images comprising a first image component generated from an item being traded and a second image component generated by computer software. The two components of the composite image may be held in different parts of the said image storage arrangement. The second component may comprise colourway information. The first image component may be associated with mask information limiting the displayed area of the second image component to the area not occupied by the first image component.

The system may also comprise colour input means connectable to said image retrieval arrangement and operable to cause said image retrieval arrangement to select only images having colourways related to a colour input via said colour input means.

The system may also be operable to display price and/or availability information with a selected image.

The system may have means for connection to a remote station for transmission of transaction information to said remote station and transmission of price and/or availability information from said station.

Embodiments of systems for retail trading will now be described with reference to the accompanying drawings, in which:-

5 Figure 1 is a diagrammatic representation of a system for trading e.g. carpets,

 Figure 2 is a diagrammatic representation of an image storage and index
10 arrangement,

 Figure 3 is a diagrammatic illustration of a retrieval arrangement operable to
15 retrieve images on a category basis,

 Figure 4 is a representation of a composite image,

 Figure 5 is a representation of another
20 composite image,

and Figure 6 is a representation of a component of the image shown in Figure 5.

25 The system for retail trading illustrated in the drawings comprises an image storage arrangement for storing images of items being traded such for example as

carpets, furniture, clothing, household textiles,
homewares and even motor vehicles. The image storage
arrangement 11 may comprise a video disc arrangement of
the kind, commercially available, that have controlled
5 access to images stored thereon so that a single video
frame can be addressed. A Phillips Laservision VP35
disc player is suitable.

The storage arrangement can also comprise a
10 frame store 11a for storing image information in digital
form for use in image processing applications, referred
to below.

An image index arrangement 12, connected with
15 the storage arrangement 11, contains identifiers - for
example - alphanumeric codes 21 in digital form - in
random access memory (Figure 2) having common memory
addresses 23 with the address of the individual images
24 in the image store 11.

20

A video screen 13 receives video signals from
the image store 11. Individual images/frames are
retrieved from the index arrangement 12 by an image
retrieval arrangement 14 controlled by signals from an
25 input arrangement 15 comprising a standard alphanumeric
keyboard which is part of a transaction data processing
arrangement 16 which also includes a data output
arrangement 17 which may comprise a printer or a visual

display unit or a modem connecting the arrangement to a remote arrangement adapted to receive the data or simply a storage arrangement connectable to any of the above for subsequent interrogation.

5

Associated with the index arrangement 12 can also be a database 18 accessible in the same way and containing information on price and/or availability of items which images are stored in the image storage arrangement 11. Information from the database 18 can be called up to appear on the video screen 13, either superimposed on the video image or on a separate screen alternatable with the video image. A dedicated or special function key on the keyboard 15 can be used to call for (and cancel) the information display.

Likewise, a special function key on the keyboard 15 is operable to put the input arrangement 16 into a transaction specifying mode in which the identifier for the currently displayed image is automatically input from the index arrangement 12 into the output arrangement 17 as part of a transaction record. The remainder of the record - date, customer's name and address, number of items ordered, price, credit details, discount, method of payment, delivery date and so on - can be entered from the keyboard. More sophisticated programming can permit information from the data base

being available - say price - and operated on by
standard operators - say price multiplied by (keyboard
input) number of items can given gross price, operated
on in turn by a standard discounting arrangement (say 5%
5 off for cash), or by a standard credit arrangement so as
to add on a percentage interest and divide the total by
twelve or twentyfour to give a monthly payment.

Software for this transaction specifying mode of
10 the input arrangement can be, with considerable user
advantage, menu driven. The first menu might for
example contain the following options:-

Display details
15 Place Order

Selecting "Display details" (by whatever means
is chosen, say by moving, using the keyboard space bar
or line feed key, a cursor or selection device next to
20 "Display details" on the screen) throws up on to the
screen the details of price/availability held in the
database 18, together with a prompt that might say
"Press Cancel to exit". Selecting "Place order" can
call up a series of prompts such as "Enter customer's
25 name", "Enter customer's address", and "Enter amount
required", as well as subsidiary menus such as

Payment method:-

Cash

Credit

Cheque

5

Credit card

which might then have another menu called up, in the event "Credit card" is selected listing accepted cards.

10

The keyboard 15 also has a special function key putting it into an image selection mode. This may also be menu driven, the menus offering choices depending on the items being traded.

15

For selling carpets, a typical first menu might comprise a choice of price ranges, followed by a menu offering a choice of plain or patterned, another offering a choice of construction, another, pile type, and another, colour.

20

The identifier used in the index arrangement 12 may contain coding, as illustrated in Figure 3 categorising the items into the choices indicated above or such other choices as may be appropriate to whatever item is being traded. For example the first symbol in the identifier might indicate a price range, the second whether the carpet is plain (1) or patterned (2), the

third the choice of construction (.g. Wilton, Axminster, tufted, foam-backed, etc) and so. n.

5 The keyboard 15 might then, by pressing an appropriate key, be put into an automatic sequencing mode, in which all carpets conforming to the selection are displayed in sequence, a 'pause' key being available for taking a longer look than the automatic sequence allows (which might be just a few seconds for
10 instance). Or the sequencing might be, at will, effected manually by pressing an "Advance" key. In any event, the selected image is displayed on the video screen 11 and the associated identifier made available to the transaction data processing arrangement 17 as
15 well as the associated database information being made available both to the screen 13 and the processing arrangement 17.

20 The images stored in the storage arrangement can with advantage show the item against a background - a carpet, for example, can be shown in a room setting, and the same carpet can be shown in different room settings to help the customer choose the ideal carpet, whether as to colourway, or size or nature of pattern, for his
25 decorating scheme or furniture.

Each image can of course be complete in itself,

so that to cover one carpet in ten different room
settings, ten image frames are provided in the storage
arrangement 11. Such ten image frames can be produced
by imaging an actual carpet in ten different actual
5 rooms. This will clearly produce visual images of high
quality, but may be tedious and costly in practice.

The ten images may, on the other hand, be
composite images, in which, for example, only the carpet
10 is imaged from an actual carpet, the remainder of the
image being computer generated, either from scratch or
from an image of an actual room which has been
image-processed so that for example the colours of the
walls, ceiling and woodwork are false, and are different
15 or in different combinations (or colourways) for each of
the ten images. Figure 4 is a representation of such a
composite image where the carpet area 41 of the image,
which is produced from a video picture of an actual
carpet, is used together with a setting or background
20 image component 42. A series of such images is produced
with different false colour colourways for the
background image component 42.

Figure 5 shows another composite image in which
25 an image 51 - shot from actuality - of a chair is shown
against a room background 52. Figure 6 shows the
background 52 only, which may be so simple as to be

readily computer-generated without the need to realise
the sam in practice. The chair image 51 is accompanied
by masking information which cancels the background
component of the computer generated image, so as not to
5 interfere with the real image component. In this way,
differently shaped chairs or other articles can be shown
against the same background, and the background may
itself be changed as to colourway (among other things)
so as to provide a series of composite images. The
10 colourway information can be part of the computer
software and provide operators acting on a basic
computer generated setting design to change the
colourway. In this way, the provision of a selected
twenty (say) channels is provided in software instead of
15 requiring twenty separate video frames to be stored.

This could, alternatively, be a way of
generating video frames for storage, which would reduce
computation and hence access time. However, where the
20 changing information in the screen is background
information, it may be desirable first to locate the
item being traded and then to apply software to change
the background through a sequence of colours.

25 A colour sensor 19 (Figure 1) can be used to
select retrieved frames to a colour of a sample, perhaps
of a favourite curtain material or piece of furniture,

proffered for its examination by an intending purchaser. Instead of actually bringing in a sample (which might be difficult in the case of a large item of furniture) a colour matching card can be supplied to be
5 compared with the original and brought in instead for examination. The colour sensed can then be translated into an appropriate colour code and used instead of a keyboard input to select a colour category.

10 The invention is not to be limited to the precise details described and illustrated. The video screen 13 could, for example, be replaced by any other suitable display arrangement such for example as a slide projector.

CLAIMS

1. A system for retail trading comprising an image storage arrangement storing images of items being
5 traded, an image index arrangement connected with the said storage arrangement and containing identifiers for the images therein, an image retrieval arrangement and display means for displaying retrieved images, and a transaction data processing arrangement including a data
10 input arrangement and by which the displayed image identifier is automatically input from the index arrangement.
2. A system according to claim 1, in which said
15 image storage arrangement comprises video disc means and said display means a video screen.
3. A system according to claim 1 or claim 2, in which said input arrangement comprises an alphanumeric
20 keyboard.
4. A system according to any one of claims 1 to 3, in which said input arrangement comprises a special
25 function key operable to put the input arrangement into a transaction specifying mode in which the identifier for the currently displayed image is automatically input from the index arrangement into a transaction record.

5. A system according to any one of claims 1 to 4,
in which said input arrangement comprises a special
function key operable to put the input arrangement into
5 a image retrieval mode.
6. A system according to any one of claims 1 to 5,
in which the image index arrangement contain a
categorised image index and the said retrival
10 arrangement is operable to retrieve images on a category
basis.
7. A system according to claim 6, in which said
image retrieval arrangement is operable to retrieve
15 images selectively falling into two or more categories.
8. A system according to claim 6 or claim 7, in
which said image retrieval arrangement is operable
automatically to retrieve images sequentially.
20
9. A system according to any one of claims 1 to 8,
in which said stored images are composite images
comprising a first image component generated from an
item being traded and a second image component generated
25 by computer software.
10. A syst m according to claim 9, in which the two
components of the composite image are held in different

parts of the said image storage arrangement.

11. A system according to claim 9 or claim 10, in which said second component comprises colourway
5 information.

12. A system according to any one of claims 9 to 11, in which said first image component is associated with mask information limiting the displayed area of the
10 second image component to the area not occupied by the first image component.

13. A system according to any one of claims 1 to 12, comprising colour input means connectable to said image
15 retrieval arrangement and operable to cause said retrieval arrangement to select only images having colourways related to a colour input via said colour input means.

20 14. A system according to any one of claims 1 to 13, operable to display price and/or availability information associated with a selected image.

25 15. A system according to any one of claims 1 to 14, having means for connection to a remote station for transmission of transaction information to said remote station and transmission of price and/or availability information from said station.




FIG. 1







FIG. 2

A	A	B	R	A	Z							D	E	D
1	1	1	1	2	1							1	2	1
1	2	2	2	2	9							1	2	2
x	x	x	x	x	x							x	x	x
x	x	x	x	x	x							x	x	
x	x	x	x	x	x							x	x	
x	x	x	x	x								x		
x	x	x	x									x		
x	x	x										x		
x	x	x										x		

FIG.3FIG.4FIG.5FIG.6

12

EUROPEAN PATENT APPLICATION

21 Application number: 86304165.3

61 Int. Cl.³: G 06 F 15/21
G 06 F 15/40

22 Date of filing: 02.08.86

30 Priority: 17.06.85 GB 8515323

43 Date of publication of application:
30.12.86 Bulletin 86/52

88 Date of deferred publication of search report: 31.08.88

84 Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE

71 Applicant: Coats Viyella Plc
Bank House 9 Charlotte Street
Manchester M1 4ET(GB)

72 Inventor: Hugh, Donald Gordon
7 Ennerdale Close Clitheroe
Lancashire BB7 2PH(GB)

72 Inventor: Lindsay, Hewitt Jeffrey
Paloalto 6 College Way
Northwood Middlesex(GB)

74 Representative: McNeight, David Leslie et al,
McNeight & Lawrence Regent House Heaton Lane
Stockport Cheshire SK4 1BS(GB)

64 Retail trading systems.

57 A system for retail trading comprises an image storing arrangement (11) storing images of items being traded (e.g. carpets), an image index arrangement (12) connected with the said storage arrangement and containing identifiers for the images therein, an image retrieval arrangement (14) and display means (13) (e.g. a video screen) for displaying retrieved images. A transaction data processing arrangement (16) includes a data input arrangement (15) by which the displayed image identifier is automatically input from the input arrangement. Composite images can be handled.




FIG.1



European Patent
Office

EUROPEAN SEARCH REPORT

0206565

Application Number

EP 86 30 4165

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
X	WO-A-8 302 839 (HON) * Page 3, line 29 - page 4, line 33; page 8, line 30 - page 17, line 8; figures 4-9 *	1-8	G 06 F 15/21 G 06 F 15/40
X	EP-A-0 109 189 (BUSHNELL) * Page 3, line 8 - page 4, line 4; page 5, line 12 - page 11, line 15; page 12, line 6 - page 15, line 24; figures 1-3 *	1-3	
A		4,5,8, 14,15	
X	GB-A-2 105 075 (WILLIAM) * Page 1, line 32 - page 4, line 11; page 5, line 101 - page 7, line 26; page 8, line 47 - page 9, line 6; figures 1,10 *	1	
			TECHNICAL FIELDS SEARCHED (Int. Cl.4)
			G 06 F 15/21 G 06 F 15/24 G 06 F 15/40 G 09 B 5/06 G 09 F 5/00
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 26-05-1988	Examiner CHUGG D.J.
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 01.82 (P0401)